

New Hampshire MMIS Companion Guide to the 005010X212 Health Care Claim Status Request and Response (276/277)

Conduent EDI Solutions
October 2025

© **2017** Conduent, Inc. All rights reserved. Conduent and Conduent Agile Star are trademarks of Conduent, Inc. and/or its subsidiaries in the United States and/or other countries.

Express permission to use the ASC X12 copyrighted materials has been granted.

Preface

This Companion Guide to the Accredited Standards Committee (ASC) X12 Technical Report Type 3 (TR3) and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging electronically with the New Hampshire MMIS. Transmissions based on this Companion Guide, used in tandem with the v5010 ASC X12N Implementation Guides (TR3), are compliant with both ASC X12N syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N Implementation Guides (TR3) adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides (TR3).

Table of Contents

1 Introduction.....	1
Scope	1
Overview.....	2
References.....	2
Additional Information.....	2
2 Getting Started.....	3
Working with New Hampshire Medicaid.....	3
Trading Partner Registration.....	3
Testing Overview	4
3 Testing with the New Hampshire MMIS.....	4
4 Connectivity with the New Hampshire MMIS.....	5
Process Flows.....	5
Editing and Validation Flow Diagram	5
Transmission Administration Procedures.....	6
Re-Transmission Procedures.....	7
Communication Protocol Specifications.....	7
Web Portal	7
Secure FTP.....	10
Passwords	13
5 Contact Information.....	15
EDI Customer Service.....	15
EDI Technical Assistance.....	15
Provider Services Number.....	15
Applicable Web site/E-mail.....	15
6 Control Segments/ Envelopes.....	16
ISA-IEA.....	16
GS-GE.....	17
ST-SE.....	17
7 New Hampshire Medicaid Specific Business Rules and Limitations.....	19
8 Acknowledgements and/or Reports.....	20
Transmission Errors and Reports.....	20

Transmission Errors.....	20
Report Inventory	21
TA1 Interchange Acknowledgement Rejection Report	21
X12C 999 Implementation Acknowledgment.....	23
EDIFECs Error Report.....	27
9 Trading Partner Agreements.....	31
Trading Partners	31
10 Transaction Specific Information	32
ASC X12N 276 Claim Status Inquiry	32
ASC X12N 277 Claim Status Response.....	34
Appendices.....	37
Implementation Checklist	37
Business Scenarios.....	37
Transmission Examples.....	37
Frequently Asked Questions	37
Change Summary.....	38

1 Introduction

This 276/277 Claim Status Inquiry Companion Guide is intended for Trading Partner use in conjunction with the ASC X12N 276/277 National Electronic Data Interchange Transaction Set Implementation Guide. The ASC X12N Implementation Guide can be accessed at <http://store.x12.org/store/healthcare-5010-consolidated-guides>.

This Companion Guide outlines the procedures necessary for engaging in Electronic Data Interchange (EDI) with the New Hampshire MMIS and specifies data clarification where applicable. [Section 10 Transaction Specific Information](#) contains provider data clarifications for fields and values that have changed.

Transaction specific data will be detailed using a table with the following information included (if applicable):

- TR3 Page
- Loop
- Segment
- Data Element
- Industry Name
- Comments

Scope

This Companion Guide is intended for use by New Hampshire Medicaid Trading Partners for the submission of the X12N 276/277 transactions to Conduent. This Companion Document is to be used in conjunction with the 276/277 Implementation Guide and TR3. Conduent is the Fiscal Agent for New Hampshire Department of Health and Human Services (DHHS). Conduent will accept and process X12N transactions on behalf of New Hampshire Medicaid.

Conduent provides connectivity for the flow of medical information and data between medical providers, facilities, vendors, claim payment agencies, clearinghouses and the Front-end Online Transaction Processor (OLTP). Beyond the receipt and delivery of this data, Conduent EDI Solutions provides translation to and from ASC X12N standard formats.

The 276 transaction data will be submitted to Conduent EDI Solutions for processing and validation of the X12N format(s). Please refer to [Section 4 Connectivity with the New Hampshire MMIS](#) for more information regarding transmission methods.

Overview

This Companion Guide is divided into 10 Sections. Each section will describe the process or requirement that each Trading Partner must complete to submit and receive X12N transactions for New Hampshire Medicaid.

Each section will provide the needed information of how Trading Partners will be required to complete successful transmissions to the New Hampshire Medicaid MMIS.

This Companion Guide will provide contact information for obtaining assistance from the New Hampshire Medicaid MMIS. As well as data clarifications, including New Hampshire Medicaid specific data requirements.

References

This document serves as a companion to the ASC X12N Implementation Guides (TR3) as adopted under HIPAA. These can be accessed at:

<http://store.x12.org/store/healthcare-5010-consolidated-guides>

Additional Information

For more information on New Hampshire Medicaid EDI services for providers, including provider enrollment and claim transaction information, please visit: <http://nhmmis.nh.gov>


2 Getting Started

Working with New Hampshire Medicaid

We provide availability for transaction transmission and download retrieval 24 hours a day, seven days a week. This availability is subject to scheduled downtime. It is operational policy to schedule preventative maintenance periods on weekends or after 9:00 p.m. Eastern Standard Time. Conduent EDI Solutions notifies the New Hampshire Medicaid Trading Partners of outages or scheduled maintenance periods.

Currently the system maintenance window is Sunday 12:01 am – 12:00 pm Eastern Standard Time (EST). In the event of unscheduled downtime, Conduent EDI Solutions will notify the New Hampshire Medicaid Trading Partners via notifications and/or Web portal banner messages, and will resolve the outage as expeditiously as possible.

For any non-routine downtime planned for the MMIS system, a notification message will be displayed in advance on the login screen (shown below) from the MMIS web-portal to the providers



Trading Partner Registration

All entities that send electronic transactions to Conduent EDI Solutions for processing and retrieve reports and responses must enroll as EDI Trading Partners. The completed Trading Partner enrollment application provides the Conduent New Hampshire Provider Relations Unit the information necessary to assign a Login Name, Login ID, and Trading Partner ID, which are required to send or retrieve electronic transactions. The Trading Partner enrollment application is available on the New Hampshire Medicaid Web site at <http://nhmmis.nh.gov>. Click on Provider Enrollment in the Quick Links pod to get to the

Trading Partner enrollment application. The direct URL to the provider enrollment page is: <https://nhmmis.nh.gov/portals/wpsprv/portal/ProviderEnrollment>

Testing Overview

All new Trading Partners before they are approved for production will use the Test NH Health Enterprise Web Portal to test. The test web site provides accurate validation of HIPAA transactions (Type 1 EDI Syntax, Type 2 HIPAA Syntax, and some Type 7 NH Trading Partner Specific). Conduent EDI Solutions requires transaction testing with all enrolling Trading Partners for NH Medicaid.

Once a Trading Partner has successfully enrolled for New Hampshire Medicaid and has communicated with a Conduent Business Analyst, the Trading Partner may begin the testing process.

3 Testing with the New Hampshire MMIS

Before submitting production files through Conduent EDI Solutions, the Trading Partner must submit three valid test files for each transaction type. If the Trading Partner has received a test status of “Accepted,” then the Conduent Business Analyst will contact the Trading Partner and update the Trading Partner status to production.


These tests verify a Trading Partner’s ability to submit a specific transaction type containing valid data in the required format. Trading Partners are encouraged to include a minimum of 10 unique transactions per test file to ensure more comprehensive testing. The NH Medicaid supported inbound transaction types are X12N 270, X12N 276, X12N 278, X12N 837P, X12N 837I, and X12N 837D. Changes to the X12N formats may require additional testing.

Should Trading Partners receive a test status of “Rejected,” then Trading Partners should download and review the X12C 999, ERROR Report. They will need to correct and resubmit their test file(s) until the file receives a status of “Accepted.” If Trading Partners require further assistance with download responses or resolving errors, please contact the assigned Conduent EDI Business Analyst by email at NHMMISED@Conduent.com.

4 Connectivity with the New Hampshire MMIS

Process Flows

Editing and Validation Flow Diagram



Legend:

1. **Content Identification:** Data identification is attempted. If the data is corrupt or intended for another resource, an email notice will be sent to the Conduent EDI Business Analyst for review and follow-up with the submitter. If the data can be identified, it is then checked for Trading Partner Relationship Validation.
2. **Trading Partner Relationship Validation:** The Trading Partner information is validated. If the Trading Partner information is invalid, a TA1 (Interchange Acknowledgement) will be forwarded to the Conduent EDI Solutions Business Analyst center for review and follow-up with the submitter. If the Trading Partner relationship is valid, the data will be passed for X12N syntax validation.
3. **X12N Syntax Validation:** A determination will be made as to whether the data is ASC X12N. An X12C 999 (Implementation Acknowledgement) will be sent to the mailbox of the submitter. The X12C 999 contains **ACCEPT, REJECT or PARTIAL** status. If the file contained syntactical errors, the segment(s) and element(s) where the error(s) occurred will be reported in the X12C 999, and will be further detailed in the EDIFECs Report.
4. **Payer Business Edits:** If the data passes X12N syntax validation, payer business edits, such as the NPI "check digit" validation" will be performed. Any errors found will be returned in an X12C 999, with details explaining the segment(s) and element(s) where the error(s) occurred. The X12C 999 will be sent to the Mailbox System for submitter retrieval.
5. **Data Transformation:** Inbound X12N data is translated to XML format, and passed to the New Hampshire MMIS for processing.

Transmission Administration Procedures

Enrolled New Hampshire Trading Partners will submit X12N 837 Professional transaction data to Conduent EDI Solutions for processing. Conduent validates submission of X12N format(s). The TA1 Interchange Acknowledgement reports the syntactical analysis of the interchange header and trailer. If the data (Interchange Envelope) is invalid, the file will be rejected. If the Trading Partner relationship does not exist (a missing or invalid Trading Partner ID) a TA1 will not be generated because the relationship does not exist within the NH Medicaid EDIFECs Trading Partner Management Database. An email will be sent to the Conduent EDI Business analyst for review and follow-up with the submitter

An X12C 999 Implementation Acknowledgement is generated when a file has passed the interchange header and trailer validation. A negative X12C 999 is generated if the file contains one or more Type 1 or Type 2 EDI or HIPAA Syntax errors or Type 7 NH Trading Partner Specific errors. The segment(s) and element(s) where the error(s) occurred will be reported to the submitter in the X12C 999 response.

The EDIFECs Error Report will only be produced for Type 1 and Type 2 HIPAA Syntax errors and for Type 7 NH Trading Partner Specific errors.

If you have questions or require assistance with your TA1 or X12C 999 please contact your Conduent Fiscal Agent EDI Business Analyst at NHMMISEDI@Conduent.com. Please include your Trading Partner ID and telephone number in your email.

Re-Transmission Procedures

Transmission/Production Issues

When file transmission or technical production issues occur, which could require the re-submission of files, please contact the Conduent New Hampshire Provider Relations Unit at **1 (866) 291-1674**.

Please have the following information available when calling the Conduent New Hampshire Provider Relations Unit regarding transmission and production issues.

- Trading Partner ID
- Web Portal Login Name (if using the Web Portal)
- Secure FTP ID (if using Secure FTP)

Communication Protocol Specifications

New Hampshire Trading Partners can submit X12N files and download files such as the X12N 835, X12N 277CA, TA1, and X12C 999 via the NH Health Enterprise MMIS Web Portal and Secure FTP.


Web Portal

The Web Portal method allows a Trading Partner to initiate the submission of a batch file for processing by Conduent EDI Solutions. A Trading Partner must be an authenticated portal user who is either an active New Hampshire Provider, or an authorized representative of the Provider. The Trading Partner accesses the Web Portal via a Web browser and is prompted for a login and password. Trading Partners may select files for upload from their PC or work environment using the “Browse” function. All 276 files submitted must meet the ASC X12N 276 standard.

Note: All files submitted via the Web Portal must be less than 10MB. File Name is a maximum of 80 Characters. A “space” is not allowed in the inbound file name. An “underscore” may be used in the inbound file name instead of a space

Web Portal Upload Procedures

1. In your Web browser, log on to the **New Hampshire MMIS Health Enterprise Portal** at <http://nhmmis.nh.gov>.
2. From the **EDI** menu, select **Upload X12**.



3. Navigate to the file you wish to upload using the Browse button, or type the path and filename into the File Information field.

The screenshot shows the "Upload X12" form. At the top, it says "Upload X12" and "Print | Help". Below that, there is a "Required field" label and a paragraph of text: "This page allows you to transmit X12N formatted batches to the Third Party Administrator for the NH-Medicaid Program. For more information on this process, please refer to the 'Contact Us' feature and/or the help feature found in the upper right corner of this page, or call Conduent Provider relations at 96030 223-4774 / Toll free 1-866-261-1674". The "File Information" section has a label "*File Path" and a "Browse..." button. At the bottom right, there are "Submit" and "Reset" buttons.

4. Click **Submit**. Information on the file submitted is displayed in the **Upload Completed** screen.

The screenshot shows the "Upload X12 Complete" screen. At the top, it says "Upload X12 Complete" and "Print | Help". Below that, there is a message: "File was successfully received and is being processed. Please check for a confirmation report in your mailbox." At the bottom right, there are "Upload Another File" and "Message Center" buttons.


5. To retrieve the file confirmation, click on the **Message Center** button to go to your mailbox.

Web Portal Data Retrieval Procedures

The Web Portal allows a Trading Partner to initiate file retrieval. Once logged into the Provider Secure Homepage, multiple functions such as File Retrieval are available.

Downloading Files from the Web Portal

1. In your Web browser, log on to the **New Hampshire MMIS Health Enterprise Portal** at <http://nhmmis.nh.gov>.
2. From the **EDI** menu, select **File Retrieval Mailbox**.



3. Select the **X12** radio button; select a file type; and if desired, enter beginning and end dates for the search.


4. Click the **Search** button. The **Results** view displays files matching the search criteria. From the Results view, click the Creation Date of the file for downloads.

Note: After the first time selecting the files, the **Show All** box needs to be checked to retrieve them again


Creation Date	Filename	File Size
Sep 06, 2012	201209061025750_B_201209061025538_B_270_TP045_20120906102509_20120906102509.dat_999Native.dat	296
Sep 06, 2012	201209061025818_B_201209061025729_B_278_TP045_2_20120906102510_20120906102514.dat_999Native.dat	279
Sep 06, 2012	201209061025766_B_201209061025683_B_276_TP045_2_20120906102510_20120906102510.dat_999Native.dat	279
Sep 06, 2012	201209061025251_B_201209061025184_B_837TP045_20120906102511_20120906102511.dat_999Native.dat	296
Sep 06, 2012	201209061025849_B_201209061025822_B_837D_TP045_2_20120906102510_20120906102514.dat_999Native.dat	333
Sep 06, 2012	201209060745844_B_201209060745662_B_WhiteSpaceInprt_20120906074505_20120906074505.dat_999Native.dat	318
Sep 06, 2012	201209060740935_B_201209060740475_B_InvalidProv_20120906074006_20120906074006.dat_999Native.dat	296
Sep 06, 2012	201209060720439_B_201209060720133_B_ProfInvald_20120906072004_20120906072004.dat_999Native.dat	296
Sep 06, 2012	201209060715584_B_201209060715210_B_XFInprt_20120906071508_20120906071508.dat_999Native.dat	318
Sep 06, 2012	201209060428407_B_201209060428037_B_201209050839111_B_201209050839339_B_Prof_McarIns1_20120905083915_20120905083922.dat_20120906042817_20120906042817.dat_999Native.dat	296

1 - 10 of 12

5. Click **Save**, to save the file to your PC.



6. Specify a path for download, and click **Save** again.



Secure FTP

Secure FTP is an appropriate alternative to the New Hampshire Web Portal for large volume Trading Partners (i.e. files in excess of 10MB each). For submitting and retrieving

files via Secure FTP, access to the Conduent Grab-It site (powered by MOVEit TRANSFER®) is available free of charge to Trading Partners. It should be noted that the Conduent Grab-It site is completely separate from New Hampshire Medicaid. Trading partners may use the separate secured Web site for submission and retrieval of files, or any secured FTP product that is compatible with MOVEit TRANSFER. See [MOVEit-Compatible FTP Applications](#).

Note: File Name is a maximum of 128 Characters. A “space” is not allowed in the inbound file name. An “underscore” may be used in the inbound file name instead of a space.

Secure FTP Setup and Support

Secure FTP setup will usually occur during Trading Partner Enrollment. If the Trading Partner wishes to create a Secure FTP account, or requires additional support (i.e. account becomes locked or experiences connectivity issues), the Trading Partner should contact the Conduent New Hampshire Provider Relations Unit at **1 (866) 291-1674** (toll-free) or at **(603) 223-4774** (local).

Note: Secure FTP setup is separate from Trading Partner Enrollment, but still coordinated through the Conduent New Hampshire Provider Relations Unit. The Provider Relations Unit may request additional information not obtained during Trading Partner Enrollment during Secure FTP setup.

Trading Partners set up for submission and/or retrieval of files via the secure FTP mechanism will receive connectivity details from the Provider Relations Unit once setup is complete. This information will include login credentials, policies concerning passwords, file retention, and basic information on site navigation.

MOVEit TRANSFER

MOVEit TRANSFER® is a software product that manages logins, folders, and data as an Internet-exposed secured landing zone. Only secured communications protocols may be used to access the TRANSFER. These include HTTPS, SFTP, and FTP/s. Data is stored in encrypted format while residing on the TRANSFER.

There are two methods for accessing MOVEit TRANSFER:

1. Uploading files through a secure Web site
<https://secureft.services.conduent.com/>
2. Sending and receiving files via a secure FTP client. MOVEit Freely® is a free secure FTP client available for download at <http://www.standardnetworks.com>.

MOVEit-Compatible FTP applications

MOVEit-Compatible FTP application	
HTTPS (HTTP over SSL) Clients	SSH2 SFTP and SCP2 Clients
cURL (downloads only) <ul style="list-style-type: none"> ▪ AIX; AmigaOS; BeOS; DOS; DragonFly BSD; FreeBSD; HPUX; 	Cyberduck <ul style="list-style-type: none"> ▪ OS X v.10.3 or higher

Linux; NetBSD; NetWare; OpenBSD; OS/2; OS X; QNX; RISC OS; Solaris; SunOS; Tru64 UNIX; UNIXware; VMS; Windows	Cyclone Commerce Interchange
Internet Explorer Web Browser	<ul style="list-style-type: none"> Solaris
<ul style="list-style-type: none"> Macintosh, Windows 	FileZilla
Firefox Web Browser	<ul style="list-style-type: none"> Windows
<ul style="list-style-type: none"> any supported OS 	F-Secure SSH (including SCP2)
MOVEit Central	<ul style="list-style-type: none"> Solaris, UNIX, Windows
Windows Vista Business Ed., 2003, XP Professional, 2000 Server	Fugu
MOVEit Central API Java Class	<ul style="list-style-type: none"> OS X v.10.3 or higher
<ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server 	IBM Ported Tools (OpenSSH)
MOVEit Central API Windows COM Component	<ul style="list-style-type: none"> z/OS
<ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server 	Ipswitch WS_FTP Pro
MOVEit TRANSFER API Java Class	<ul style="list-style-type: none"> Windows
<ul style="list-style-type: none"> any OS with Java v.1.4 or higher 	J2SSH
MOVEit TRANSFER API Windows COM Component	<ul style="list-style-type: none"> Java
<ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server 	MacSSH
MOVEit Wizard ActiveX Plugin	<ul style="list-style-type: none"> OS X v.10.3 or higher
<ul style="list-style-type: none"> Internet Explorer Windows 	Magnetk sftpd
MOVEit Wizard Java Plugin	<ul style="list-style-type: none"> Windows
<ul style="list-style-type: none"> Firefox Linux and Windows; Mozilla Linux and Windows; Netscape Linux and Windows; Opera Linux and Windows; Safari OS X 	MOVEit Central
MOVEit Xfer Java	<ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server
<ul style="list-style-type: none"> Any OS with Java v.1.4 or higher 	NET::SFTP (uses Net::SSH::Perl)
MOVEit Xfer Windows	<ul style="list-style-type: none"> Linux
<ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP, 2000, ME, 98, NT 	OpenSSH for sftp
Mozilla Web Browser	<ul style="list-style-type: none"> MVS; OS X v.10.3 or higher; Solaris; UNIX; Windows; z/OS v.1.4 or higher
<ul style="list-style-type: none"> any supported OS 	PuTTY PSCAP and PSFTP
Netscape Navigator Web Browser	<ul style="list-style-type: none"> Windows, Windows NT for Alpha
<ul style="list-style-type: none"> Linux, Macintosh, Windows 	Rbrowser
Opera Web Browser	<ul style="list-style-type: none"> OS X v.10.3 or higher
<ul style="list-style-type: none"> any supported OS 	SouthRiver Technologies WebDrive
Safari Web Browser	<ul style="list-style-type: none"> Windows
<ul style="list-style-type: none"> OS X 	SSH FileSystem (SSHFS)
AS2 and AS3 (SSL) Clients	<ul style="list-style-type: none"> Unix (requires OpenSSH and FUSE)
Clients that are AS2 or AS3 certified by	SSH Secure Shell FTP
	<ul style="list-style-type: none"> Windows
	SSH Tectia Client
	<ul style="list-style-type: none"> AIX, HP-UX, Linux, Solaris, Windows
	SSH Tectia Connector
	<ul style="list-style-type: none"> Windows
	Stairways Interarchy
	<ul style="list-style-type: none"> OS X
	Transmit

<p>Drummond will be compatible with MOVEit TRANSFER, including:</p> <p>MOVEit Central</p> <ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server 	<ul style="list-style-type: none"> OS X v.10.3 or higher <p>WinSCP (in SFTP mode)</p> <ul style="list-style-type: none"> Windows
<p>FTPS (FTP over SSL) Clients</p> <p>bTrade TDAccess</p> <ul style="list-style-type: none"> AIX, AS/400, HP-UX, Linux, MVS, Solaris, Windows <p>C-Kermit FTP</p> <ul style="list-style-type: none"> AIX, QNX, UNIX, VMS <p>Cleo LexiCom</p> <ul style="list-style-type: none"> AS/400, Linux, UNIX, Windows <p>cURL</p> <ul style="list-style-type: none"> AIX; AmigaOS; BeOS; DOS; DragonFly BSD; FreeBSD; HP-UX; Linux; NetBSD; NetWare; OpenBSD; OS/2; OS X; QNX; RISC OS; Solaris; SunOS; Tru64 UNIX; UNIXware; VMS; Windows <p>FileZilla</p> <ul style="list-style-type: none"> Windows <p>GlobalSCAPE CuteFTP Pro</p> <ul style="list-style-type: none"> Windows <p>GLUB Secure FTP</p> <ul style="list-style-type: none"> Java <p>IBM z/OS Secure Sockets FTP</p> <ul style="list-style-type: none"> z/OS <p>IniCom FlashFXP (GUI v.3.0 or higher)</p> <ul style="list-style-type: none"> Windows <p>Ipswitch WS_FTP Pro (GUI v.7.0 or higher)</p> <ul style="list-style-type: none"> Windows <p>LFTP</p> <ul style="list-style-type: none"> AIX, MVS, Solaris, UNIX <p>MOVEit Buddy</p> <ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP, 2000, ME, 98, NT 	<p>FTPS (FTP over SSL) Clients, Cont.</p> <p>MOVEit Central</p> <ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP Professional, 2000 Server <p>MOVEit Freely</p> <ul style="list-style-type: none"> Windows Vista Business Ed., 2003, XP, 2000, ME, 98, NT <p>Netkit</p> <ul style="list-style-type: none"> Linux, Solaris, UNIX <p>Rhino Voyager FTP</p> <ul style="list-style-type: none"> Windows <p>Seagull Secure FTP Pro</p> <ul style="list-style-type: none"> Windows <p>SmartFTP</p> <ul style="list-style-type: none"> Windows <p>SouthRiver Technologies WebDrive</p> <ul style="list-style-type: none"> Windows <p>Stairways Interarchy</p> <ul style="list-style-type: none"> OS X <p>Sterling Commerce Connect:Direct Enterprise Command Line Client</p> <ul style="list-style-type: none"> UNIX, Windows <p>Surge SSLFTP</p> <ul style="list-style-type: none"> FreeBSD; Linux; Macintosh; Solaris; Windows <p>TrailBlazer ZMOD</p> <ul style="list-style-type: none"> OS/400 <p>Tumbleweed SecureTransport Clients</p> <ul style="list-style-type: none"> UNIX, Windows <p>In software IP*Works SSL</p> <ul style="list-style-type: none"> Windows

Passwords

Log in Credentials: In order to receive your authorized user log in credentials all Trading Partners, regardless of submission method, must be enrolled with NH Medicaid and approved as Trading Partners on the NH Health Enterprise MMIS. Log in credentials include names/ids and passwords, that will be required for the submission of transactions to NH Medicaid.

Trading Partner ID: The Trading Partner ID links the Trading Partner to their transaction data and is the NH Health Enterprise MMISs internal key to accessing their Trading Partner information. Please have this number available each time you contact the Conduent New Hampshire Provider Relations Unit at **1 (866) 291-1674** or at **(603) 223-4774** (local). **The following login credentials are issued depending on the chosen communication method.**

Web Portal User ID/Password: This Web Portal User ID allows Trading Partners access to the New Hampshire MMIS Health Enterprise Portal for functions that include file submission and file retrieval. The Conduent New Hampshire Provider Relations Unit also uses the logon name to access Web Portal data submissions.

Secure file transfer ID/Password: These are the login credentials for the Conduent DMZ site. These allow FTP Trading Partners to access assigned folders for file submission or to retrieve responses. The Conduent New Hampshire Provider Relations Unit also uses this Secure file transfer ID to reference your DMZ data submissions.

5 Contact Information

EDI Customer Service

The Conduent New Hampshire Provider Relations Unit is available to all New Hampshire Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Eastern Standard Time, at the following numbers:

Toll Free: 1 (866) 291-1674

Local: (603) 223-4774

EDI Technical Assistance

The Conduent New Hampshire Provider Relations Unit assists users with questions about electronic submissions. The Conduent New Hampshire Provider Relations Unit is available to all New Hampshire Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Eastern Standard Time, at **1 (866) 291-1674** (toll-free) or **(603) 223-4774** (local). The Provider Relations Unit specializes in the following:

- Provides information on available services
- Creates user accounts for file submission for approved Trading Partners
- Verifies receipt of electronic transmissions
- Provides assistance to Trading Partners experiencing transmission difficulties

Provider Services Number

The Conduent New Hampshire Provider Relations Unit is available to all New Hampshire Medicaid Trading Partners, Monday through Friday from 8:00 a.m. to 5:00 p.m., Eastern Standard Time, at **1 (866) 291-1674** (toll-free) or **(603) 223-4774** (local).

Applicable Web site/E-mail

Please visit www.nhmmis.nh.gov for NH Medicaid provider and Trading Partner services information, including Trading Partner enrollment information, FAQs, manuals and related documentation.

6 Control Segments/ Envelopes

ISA-IEA

Conduent EDI Solutions will read the Interchange Control Segments to validate the Interchange Envelope of each ASC X12 file received for processing. If the Interchange Envelope is invalid, the Trading Partner will receive a TA1 Interchange Acknowledgement. In the event a TA1 is generated, the TA1 will be delivered to the Trading Partner Mailbox. The ISA table provides sender and receiver codes, authorization and delimiter information.

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
Interchange Control Header (ISA)					
C.4	Envelope	ISA	01	Authorization Information Qualifier	Refer to the X12 TR3 Guide
C.4	Envelope	ISA	06	Interchange Sender ID	Trading Partner ID assigned by New Hampshire Medicaid
C.5	Envelope	ISA	08	Interchange Receiver ID	026000618
C.6	Envelope	ISA	16	Component Element Separator	Refer to the X12 TR3 Guide

GS-GE

Conduent EDI Solutions permits Trading Partners to submit single or multiple functional groups within an X12 file. If the X12 file contains multiple functional groups, Conduent EDI will split a file containing multiple functional groups in several files for processing. As a result, the Trading Partner will receive multiple X12C 999 Implementation Acknowledgments.

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
Functional Group Header (GS)					
C.7	Envelope	GS	02	Application Sender's Code	Trading Partner ID assigned by NH Medicaid
C.7	Envelope	GS	03	Application Receiver's Code	026000618

ST-SE

Conduent EDI Solutions will require a unique Transaction Set Control Number in the ST02. The ST02 value should match the SE02 value. Should a file contain multiple ST to SE Transaction Sets, each transaction set control number may not be duplicated within the same interchange (ISA to IEA).

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
276 Transaction Set Header (ST to SE)					
36	Functional Group	ST	02	Transaction Set Control Number	Refer to the X12 TR3 Guide
276 Transaction Set Trailer (SE)					
98	Functional Group	SE	02	Transaction Set Control Number	Refer to the X12 TR3 Guide

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
277 Transaction Set Header (ST to SE)					
106	Functional Group	ST	02	Transaction Set Control Number	Refer to the X12 TR3 Guide
277 Transaction Set Trailer (SE)					
213	Functional Group	SE	02	Transaction Set Control Number	Refer to the X12 TR3 Guide

7 New Hampshire Medicaid Specific Business Rules and Limitations

Many of the data elements detailed in this Companion Guide reflect New Hampshire business requirements, but still meet the standard requirements in the ASC X12N Implementation Guide. Inclusion of a “business-required” data field, as defined by this Companion Guide, will aid in the delivery of a positive response from the New Hampshire Health Enterprise MMIS. For more information regarding New Hampshire specific billing requirements, consult the applicable NH Medicaid provider billing manual, which can be downloaded from the New Hampshire Medicaid Web site at: <http://nhmmis.nh.gov>

Note on decimal/amount fields: Even though the X12N transaction defines Amount fields as having an 18-byte maximum, there is an additional HIPAA rule that limits all decimal fields to a maximum of 10 characters, including the two implied or reported decimal places. Accordingly, for all decimal or amount fields:

- “123456789012” is not an acceptable amount, because it is greater than 10 bytes.
- “12345678.90” is acceptable because the number of digits is not greater than 10; the decimal point itself is not limited by the rule.
- However, “1234567890” is not acceptable because the X12N engine assumes that a decimal point and succeeding zeroes are implied so that the actual number being communicated is “1234567890.00”, which is greater than 10 bytes.
- The 10-byte limitation applies to all decimal or amount fields, including AMT segments, but also including any other fields that hold amounts or decimals, such as 837 SV207, CAS03, CAS06, CAS09, CAS12, CAS15, CAS18, HI01-5, HI02-5, HCP02 and HCP03, etc.

For all fields not listed in these bullets, follow the guidelines in the ASC X12N Implementation Guides (TR3), available at <http://store.x12.org/store/healthcare-5010-consolidated-guides>.

Report Inventory

The three acceptance/rejection reports are:

- TA1 Interchange Acknowledgement
- X12C 999 Implementation Acknowledgement
- EDIFECs Error Report

TA1 Interchange Acknowledgement Rejection Report

The ISA and GS segments contain the header and footer information within the Interchange (ISA-IEA) and Functional Group (GS-GE) envelopes. Some ISA-IEA and GS-GE problems will result in the entire submission being rejected resulting in the generation of a TA1 to be delivered to the Trading Partner mailbox. A TA1 will be delivered to the Trading Partner mailbox. If the Trading Partner relationship does not exist (a missing or invalid Trading Partner ID) a TA1 will not be generated because the relationship does not exist within the NH Medicaid Trading Partner Management Database (TPMS). An email will be sent to the Conduent EDI Unit and the EDI Business Analyst will review and contact the submitter. For additional information regarding the TA1, please refer to the ASC X12C 999 (v005010X231A1TR3) Implementation Guide.

The TA1 Interchange Acknowledgement Report may result from various sources:

- The submitted file is not recognized as an X12N file due to file corruption or data errors in the ISA-IEA or GS-GE envelopes.
- The submitted file has errors that would prevent the translation engine from uniquely identifying the file, transaction type, or submitter.
- The ISA01 contains a value other than 00 or 03.

Interchange-Level Errors and the TA1 Rejection Report

Envelope problems that make it impossible to identify the ISA-IEA envelope will result in a TA1 Interchange Acknowledgement rejection of the entire submission.

An Example of an Interchange-Level error that will result in a TA1:

- The Header Interchange Control Number in ISA13 (“014640000”) does not match the Trailer Interchange Control Number in IEA02 (“014640001”). The interchange envelope cannot be validated when the ISA13 and IEA02 do not contain the same values.

```
ISA*00*                *00*                *ZZ*654321*ZZ*026000618
*120602*0800*^^*00501*014640000*1*P*:~
  GS*HR*654321*026000618*20120602*0800*19990000*X*005010X212~
    ST*276*0001*005010X212~
      BHT*0010*13*12345*20120602*1530~
        HL*1**20*1~
          NM1*PR*2*NH MEDICAID*****PI*026000618~
```

```

HL*2*1*21*1~
NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
HL*3*2*19*1~
NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
HL*4*3*22*0~
DMG*D8*20001010*M~
NM1*IL*1*SMITH*LARRY***MI*10464071391~
TRN*1*123456789012345~
AMT*T3*1200.00~
DTP*472*RD8*20120102-20120102~
SE*15*0001~
GE*1*19990000~
IEA*1*014640001~

```

Functional Group Level Errors and the TA1 Rejection Report

When the ISA-IEA and GS-GE envelopes are identifiable but the Trading Partner is not authorized for the transaction, the entire submission is rejected with a TA1.

Example of a Functional-Group-Level error that will result in a TA1 rejection:

- If an invalid Receiver ID is transmitted in the GS.

```

ISA*00*          *00*          *ZZ*654321          *ZZ*026000618
*120716*0800*^*00501*014640001*1*P*:~
  GS*HR*654321*02600068†20120716*0800*19990000*X*005010X212~
    ST*276*0001*005010X212~
      BHT*0010*13*12345*20120716~
      HL*1**20*1~
      NM1*PR*2*NH MEDICAID*****PI*026000618~
      HL*2*1*21*1~
      NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
      HL*3*2*19*1~
      NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
      HL*4*3*22*0~
      DMG*D8*20001010*M~
      NM1*IL*1*SMITH*LARRY***MI*10464071391~
      TRN*1*123456789012345~
      AMT*T3*1200.00~
      DTP*472*RD8*20120102-20120102~
      SE*15*0001~
      GE*1*19990000~
    IEA*1*014640001~

```

X12C 999 Implementation Acknowledgment

If the file, envelope, and submitter are recognized, the file is passed through Compliance Check to determine the syntactical validity of the X12N submission. An X12C 999 Implementation Acknowledgment is generated for all files that receive an accepted TA1. If errors are found, a rejected or partial X12C 999 will be generated. If errors are not found, an X12C 999 will be generated with an accepted acknowledgment. If the Trading Partner receives a rejected or partial X12C 999, the Trading Partner will review, correct and resubmit. For additional information regarding the X12C 999, please refer to the ASC X12C 999 (v005010X231A1TR3) Implementation Guide. If the Trading Partner requires additional assistance with the X12C 999, please contact the Provider Relations Unit.

.Interchange Level Errors and the X12C 999 Implementation Acknowledgment

If the Interchange Header is recognizable and all elements are the proper length, but the header contains syntactically invalid data, such as invalid qualifiers or data relationships, an X12C 999 will be generated.

Example of an Interchange-Level error that will result in an X12C 999:

- “K” is technically a valid repetition separator. An accepted TA1 will be produced. However, if “K” is used anywhere in the file, it will be classified as a repetition separator and it will fail as a syntax error on the X12C 999. EDI recommends using a caret (^) as the repetition separator.

```
ISA*00*                *00*                *XX*654321                *ZZ*026000618
*120616*0800*K00501*014640000*1*P*:~
GS*HR*654321*026000618*20120616*0800*19990000*X*005010X212~
ST*276*0001*005010X212~
  BHT*0010*13*12345*20120616~
  HL*1**20*1~
  NM1*PR*2*NH MEDICAID*****PI*026000618~
  HL*2*1*21*1~
  NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
  HL*3*2*19*1~
  NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
  HL*4*3*22*0~
  DMG*D8*20001010*M~
  NM1*IL*1*SMITH*KERRY***MI*10464071391~
  TRN*1*123456789012345~
  AMT*T3*1200.00~
  DTP*472*RD8*20120102-20120102~
  SE*15*0001~
  GE*1*19990000~
IEA*1*014640000~
```

Functional Group Level Errors and the X12C 999 Implementation Acknowledgement

When the GS and GE segments are identifiable and the Trading Partner is authorized for the transaction, but a syntactical error is identified in the GS or GE segments, the entire functional group (from GS to GE) is rejected with an X12C 999.

Example of Functional Group Level Error that will result in an X12C 999:

- The transaction was built with incorrect Total Number of transaction sets at the Functional Group Trailer. GE01 should be 2 because the Functional Group contains two ST to SE transaction sets.

```
ISA*00*                *00*                *ZZ*654321                *ZZ*026000618
*120716*0800*^*00501*014640000*1*P*:~
GS*HR*654321*026000618*20120716*0800*19990000*X*005010X212^a1~
  ST*276*0001*005010X212~
    BHT*0010*13*12345*20120716~
    HL*1**20*1~
    NM1*PR*2*NH MEDICAID*****PI*026000618~
    HL*2*1*21*1~
    NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
    HL*3*2*19*1~
    NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
    HL*4*3*22*0~
    DMG*D8*20001010*M~
    NM1*IL*1*SMITH*LARRY*****MI*10464071391~
    TRN*1*123456789012345~
    AMT*T3*1200.00~
    DTP*472*RD8*20120102-20120102~
    SE*15*0001~
    ST*276*0002~
      BHT*0010*13*12345*20120102~
      HL*1**20*1~
      NM1*PR*2*NH MEDICAID*****PI*026000618~
      HL*2*1*21*1~
      NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
      HL*3*2*19*1~
      NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
      HL*4*3*22*0~
      DMG*D8*20001010*M~
      NM1*IL*1*SMITH*LARRY*****MI*10464071391~
      TRN*1*123456789012345~
      AMT*T3*1200.00~
      DTP*472*RD8*20120102-20120102~
      SE*15*0002~
    GE*1*19990000~
IEA*1*014640000~
```

Transaction Set Level Errors and the X12C 999

If an error is identified within the Submitter, Receiver, or Provider loops, the entire Transaction Set (ST and SE segments and all segments in between) is rejected with an X12C 999. However, if the functional group consists of additional transactions without errors, the other transactions will be processed.

Example of a Transaction Set Level Error:

- The following example contains an invalid Payer ID of 77101. The Payer ID for New Hampshire Medicaid is 026000618.

```
ISA*00*          *00*          *ZZ*654321          *ZZ*026000618
*120716*1234*^^*00501*987654321*0*P*~
  GS*HR*654321*026000618*20120718*16265868*900000201*X*005010X212^1
  ST*276*0001*005010X212~
    BHT*0010*13*12345*20120716~
    HL*1**20*1~
    NM1*40*2*NH MEDICAID*****46*77101~
    HL*2*1*21*1~
    NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
    HL*3*2*19*1~
    NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
    HL*4*3*22*0~
    DMG*D8*20001010*M~
    NM1*IL*1*SMITH*LARRY*****MI*10464071391~
    TRN*1*123456789012345~
    AMT*T3*1200.00~
    DTP*472*RD8*20120102-20120102~
  SE*15*0001~
  GE*1*900000201
IEA*1*987654321
```

Request-Level Errors and the X12C 999

In a case where header, submitter, receiver, provider, and subscriber loops are all valid, but an error occurs in a claim status request, only the request containing the error is rejected.

Example of a Transaction Level Error:

- In the following example, the qualifier "RR" is not valid for the NM101 element. The request below it will still be processed.

```
ISA*00*          *00*          *ZZ*654321          *ZZ*026000618
*120716*1234*^^*00501*987654321*0*P*~
  GS*HR*654321*026000618*20120716*16265868*900000201*X*005010X212
    ST*276*0001*005010X212~
      BHT*0010*13*12345*20120716~
      HL*1**20*1~
      NM1*PR*2*NH MEDICAID*****PI*026000618~
      HL*2*1*21*1~
      NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
      HL*3*2*19*1~
      NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
      HL*4*3*22*0~
      DMG*D8*20001010*M~
      NM1*IL*1*SMITH*LARRY***MI*10464071391~
      TRN*1*123456789012345~
      AMT*T3*1200.00~
      DTP*472*RD8*20120102-20120102~
    SE*15*0001~
    ST*276*0002~
      BHT*0010*13*12345*20120102~
      HL*1**20*1~
      NM1*PR*2*NH MEDICAID*****PI*026000618~
      HL*2*1*21*1~
      NM1*41*2*GENERAL BILLING AGENCY*****46*ND001~
      HL*3*2*19*1~
      NM1*1P*2*GENERAL HOSPITAL*****XX*1073715579~
      HL*4*3*22*0~
      DMG*D8*20001010*M~
      NM1*RR*1*SMITH*LARRY***MI*10464071391~
      TRN*1*123456789012345~
      AMT*T3*1200.00~
      DTP*472*RD8*20120102-20120102~
      HL*5*3*22*0~
      DMG*D8*20001010*M~
      NM1*IL*1*SMITH*LARRY***MI*10464071391~
      TRN*1*123451189012345~
      AMT*T3*100.00~
      DTP*472*RD8*20120113-20120113~
    SE*21*0002~
  GE*2*900000201
IEA*1*987654321
```

EDIFECs Error Report

Every X12N transaction that does not receive a TA1 or X12C 999 transaction rejection will pass through the EDIFECs Compliance Check engine. EDIFECs generates a full report of all Loops, Segments, Elements, along with the data contained within them, and explanations of the errors, if any. This report is especially useful in troubleshooting errors when it is combined with the X12C 999. The EDIFECs reports will be available to Trading Partners in their mailbox.

Below is an abbreviated sample Error Report that shows the level of detail contained in the EDIFECs Error Report. Note that the invalid data is shown in **bold** type, and the full explanation of the error is given in the "Error Message" column.

Sample EDIFECs Error Report
Error Report <i>Submitted: Thursday, July 09, 2012 10:27:11 (Eastern Daylight Time)</i> Guideline: Spec3.ecs Data File: I:\CustomerImplementation\New Hampshire\Test Data\276\x12s only\276 - Test
This report shows the results of a submitted data file validated against a guideline. If there are errors, you must fix the application that created the data file and then generate and submit a new data file.
Summary Report
Total Errors: 6 Total Warnings: 0 Total Information: 0

Error Count by WEDI SNIP Type

SNIP Type	SNIP Name	ounts
0	System	0
1	EDI Syntax	4 Errors 0 Warnings 0 Information
2	HIPAA Syntax	2 Errors 0 Warnings 0 Information

Sample EDIFECs Error Report

# Error ID	Error Message	Error Data	SNIP Type	Severity	Guideline Properties
1 0x81002B	<p>The length of Element ST02 (Transaction Set Control Number) is '10'. The maximum allowed length is '9'. Segment ST is defined in the guideline at position 010.</p> <p>This error was detected at: Segment Count: 3 Element Count: 2 Characters: 175 through 185</p> <p>The data element is too long.</p>	ST*276* 0000000011	1 - EDI Syntax	Normal	Element: ST02 Name: Transaction Set Control Number ID: 329 Standard: Mandatory Option: Type: AN Min Length: 4 Max Length: 9 User Option: Required
2 0x810024	<p>Element NM108 (Identification Code Qualifier) does not contain a valid identification code: '45' is not allowed. Segment NM1 is defined in the guideline at position 050.</p> <p>This error was detected at: Segment Count: 9 Element Count: 8</p>	NM1*41*1*HOUSE,JOHN MD*JOHN**** 45 *096489106	2 - HIPAA Syntax	Normal	Element: NM108 Name: Identification Code Qualifier ID: 66 Standard: Conditional Option: Type: ID Min Length: 1 Max Length: 2 User Option: Required

	<p>Characters: 348 through 350</p> <p>An invalid code value was encountered.</p>				
3 0x81003C	<p>Element DMG02 DMG*D8* 200010101 *F (Date Time Period) contains a lexical format rule - the data in this element did not match the rule. The lexical format pattern specified in the guideline is CCYYMMDD. Segment DMG is defined in the guideline at position 040.</p> <p>This error was detected at: Segment Count: 13 Element Count: 2 Characters: 438 through 447</p> <p>A lexical format mismatch occurred.</p>	DMG*D8* 200010101 *F	2 - HIPAA Syntax	Normal	<p>Element: DMG02 Name: Date Time Period ID: 1251 Standard Option: Conditional Type: AN Min Length: 1 Max Length: 35 User Option: Required</p>
4 0x81004E	<p>Element TRN02 TRN*1* (Reference Identification) is missing. This Element's standard option is 'Mandatory'. Segment TRN is defined in the guideline at position 090.</p> <p>This Element was expected in: Segment Count: 15 Element Count: 2 Character: 494</p> <p>A data element with 'Mandatory' status is missing.</p>	TRN*1*	1 - EDI Syntax	Normal	<p>Element: TRN02 Name: Reference Identification ID: 127 Standard Option: Mandatory Type: AN Min Length: 1 Max Length: 30 User Option: Required</p>
5 0x810076	<p>There are extra trailing Element</p>	TRN*1*	1 - EDI	Normal	

	<p>separators at the end of TRN Segment. Segment TRN is defined in the guideline at position 090.</p> <p>This error was detected at: Segment Count: 15 Characters: 493 through 494</p> <p>Extra delimiters were encountered.</p>	Syntax			
6 0x810005	<p>Element SE02 (Transaction Set Control Number) has a value of '000000001'. The expected value was '0000000011'. Segment SE is defined in the guideline at position 160.</p> <p>This error was detected at: Segment Count: 18 Element Count: 2 Characters: 543 through 552</p> <p>The values are not equal.</p>	SE*16* 000000001	1 - EDI Syntax	Normal	<p>Element: SE02 Name: Transaction Set Control Number ID: 329 Standard: Mandatory Option: Type: AN Min Length: 4 Max Length: 9 User Option: Required</p>

9 Trading Partner Agreements

Prior to engaging in EDI with the New Hampshire MMIS Enterprise, prospective Trading Partners must complete a Trading Partner enrollment package, which includes a Trading Partner Signature Agreement Form that requires an original signature. Please follow all enrollment instructions and mail the signed Trading Partner Agreement Form to the Conduent NH Medicaid Fiscal Agent, along with any other required documents to complete the enrollment application process.

Please find all New Hampshire Provider/Trading Partner Enrollment information at: <https://nhmmis.nh.gov/portals/wps/portal/ProviderEnrollment>

The mailing address is:

Conduent Provider Relations Unit
P. O. Box 2059
Concord, NH 03302-2059

Trading Partners

In simple terms, an EDI Trading Partner is defined as any provider or agent acting on behalf of a provider that transmits electronic transaction data to or receives electronic transaction data from a health plan.

There are two different types of Trading Partners for the New Hampshire Medicaid:

First, there are Vendors, Billing Agents, Clearinghouses and Switch Vendors who engage in Electronic Data Interchange (EDI) which may include claims and eligibility inquiries on behalf of enrolled NH Medicaid providers. These Trading Partners are not enrolled providers, their only interaction with the MMIS is to submit and retrieve electronic data files.

Second, there are providers re-enrolling under the Medicaid Program who use their own software programs to engage in Electronic Data Interchange (EDI) with the New Hampshire Medicaid. Some providers may use the MMIS online file upload and retrieval features via the New Hampshire MMIS Health Enterprise Portal.

10 Transaction Specific Information

This section contains data clarifications, including New Hampshire-specific data requirements. For additional guidance on the use of business rules, please see [Section 7 New Hampshire Medicaid Specific Business Rules and Limitations](#).

ASC X12N 276 Claim Status Inquiry

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
Interchange Control Header (ISA)					
C.4	N/A	ISA	05	Interchange ID Qualifier	ZZ
C.5	N/A	ISA	07	Interchange ID Qualifier	ZZ
2100A Payer Name (NM1)					
41	2100A	NM1	03	Name Last or Organization Name	NH Medicaid
42	2100A	NM1	08	Identification Code Qualifier	PI
42	2100A	NM1	09	Information Source Primary Identifier	026000618
2100B Information Receiver Name (NM1)					
46	2100B	NM1	09	Information Receiver Identification Number	Trading Partner ID of the entity sending this transaction
2100C Provider Name (NM1)					
51	2100C	NM1	08	Identification Code Qualifier	XX SV

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
2100D Subscriber Name (NM1)					
57	2100D	NM1	08	Identification Code Qualifier	MI
57	2100D	NM1	09	Identification Code	NH Medicaid ID
2200D Claim Status Tracking Number (REF)					
59	2200D	REF	02	Payer Claim Control Number	If sent, this needs to be the NH Medicaid 17-digit TCN number
2210D Service Line Information (SVC)					
69	2210D	SVC	01-1	Product/Service ID Qualifier	If sent, AD HC NU

ASC X12N 277 Claim Status Response

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
Interchange Control Header (ISA)					
C.4	Envelope	ISA	05	Interchange ID Qualifier	ZZ
C.4	Envelope	ISA	06	Interchange Sender ID	026000618
C.5	Envelope	ISA	07	Interchange ID Qualifier	ZZ
C.5	Envelope	ISA	08	Interchange Receiver ID	Trading Partner ID assigned by New Hampshire Medicaid
Functional Group Header (GS)					
C.7	Envelope	GS	02	Application Sender's Code	026000618
C.7	Envelope	GS	03	Application Receiver's Code	Trading Partner ID assigned by New Hampshire Medicaid
2100A Payer Name (NM1)					
111	2100A	NM1	03	Payer Name	NH Medicaid
112	2100A	NM1	08	Identification Code Qualifier	PI
112	2100A	NM1	09	Information Source Primary Identifier	026000618
2100A Payer Contact Information (PER)					
114	2100A	PER	02	Name	Conduent State Healthcare, LLC
114	2100A	PER	03	Communication Number Qualifier	TE

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
114	2100A	PER	04	Communication Number	6032234774
114	2100A	PER	05	Communication Number Qualifier	TE
115	2100A	PER	06	Communication Number	8662911674
115	2100A	PER	07	Communication Number Qualifier	EM
115	2100A	PER	08	Communication Number	NHMMISEDI@Conduent.com
2100B Information Receiver Name (NM1)					
119	2100B	NM1	09	Information Receiver Identification Number	NH Medicaid will send the Trading Partner ID of the entity who submitted the Claim Status Inquiry.
2100C Provider Name (NM1)					
128	2100C	NM1	08	Identification Code Qualifier	XX SV
128	2100C	NM1	09	Provider Identifier	NH Medicaid will return the Provider Identifier that was sent in the same field in the 276 request.
2100D Subscriber Name (NM1)					
136	2100D	NM1	08	Identification Code Qualifier	MI
136	2100D	NM1	09	Identification Code	NH Medicaid ID
2220D Service Line Information (SVC)					
157	2220D	SVC	01-1	Product/Service ID Qualifier	AD HC NU

TR3 Page	Loop	Segment	Data Element	Industry Name	Comments
145	2200D	STC	06	Adjudication Finalized Date	To Be Paid/To Be Denied Status = Adjudication Date Paid/Denied Status = Adjudication Date Suspended Status = blank
146	2200D	STC	08	Remittance Date	To Be Paid/To Be Denied Status = Adjudication Date Paid/Denied Status = Remittance Date Suspended Status = blank

Appendices

Implementation Checklist

Conduent does not offer an Implementation Checklist for our Trading Partner EDI services with the New Hampshire MMIS. The Conduent New Hampshire Provider Relations Unit assists new Trading Partners with enrollment and testing, but a formal implementation checklist is not necessary.

Business Scenarios

Please contact the Conduent New Hampshire Provider Relations Unit to discuss your specific EDI related business needs with New Hampshire Medicaid, should they not be covered in this guide or other available New Hampshire Medicaid X12N transaction companion guides.

Transmission Examples

Please contact the Conduent New Hampshire Provider Relations Unit for transmission examples beyond the samples already provided in this guide.

Frequently Asked Questions

For current Provider and Trading Partner FAQs, please visit the following page:
<https://nhmmis.nh.gov/portals/wps/portal/ProviderFaq>

Change Summary

Version	Date	Description	Description of Changes
1.0	11/05/2012	Initial Document for Deliverables	Document reformatted to meet CAQH CORE standard companion guide format (Phase I CORE Req. 152). Conduent branding applied.
1.1	12/06/2012	Recommendation from the X12 Committee	Renamed Title, Renamed Footer, Removed "ANSI" from document Updated section 10 for the 2200D STC06 and STC08 segment Comments page 36
1.2	11/27/2013	URL for Provider Enrollment	Updated URL for Provider Enrollment on page 3
1.3	12/23/2013	Updated Trading Partner notice for downtime	Updated Section 2 page 3 for Trading Partner notice
1.4	02/28/2014	Updated Process Flow diagram	Updated Process Flow Section 4 page 5
1.5	06/01/2014	Updated TA1 Information	Updated TA1 information pages 6, 21, 22 and 23
1.6	05/08/2015	2 Getting Started – Working with New Hampshire Medicaid	Updated scheduled maintenance periods page 3
1.6	05/08/2015	6 Control Segments/ Envelopes	Updated GS-GE segment statement page 18
1.6	05/14/2015	Non-routine downtime	Added the description related to the process for displaying the Non-

Version	Date	Description	Description of Changes
			routine downtime page 3.
1.7	8/28/2017	Update Brand	Updated Brand to Conduent